

# SNU 5 Plus GB + WST-W

SMALL WATER HEATER

PRODUCT-NO.: 205848

The small water heater in a set with mixer tap for a washbasin is suitable for connection to a single draw-off point.

## The main features

Small water heater and tap kit

---

**AREA OF APPLICATION:** Non-pressurised DHW cylinder for the bathroom washbasin or the kitchen sink.

---

**CONVENIENCE FEATURES:** Variable temperature adjustment via high quality haptic rotary selector. Space saving thanks to small dimensions.

---

**ENERGY SAVING:** The energy saving thermostop function prevents unwanted heat-up of the tap. Low energy consumption thanks to high grade vacuum insulation of the inner cylinder. **Water saving:** The anti-drip function prevents the tap dripping during heat-up and therefore reduces limescale deposits.

---

**SAFETY:** Integral anti-scalding protection. 4-stage temperature limit.

---

**TAP + INSTALLATION:** Low pressure tap required – the use of a pressure tap is not permissible. Vertical undersink installation only. Simple wall mounting thanks to universal mounting rail. Easy replacement of previous models.

---

**STANDARD DELIVERY:** STIEBEL ELTRON small water heater SNU 5 Plus GB + WST-W, operating and installation instructions, wall mounting bracket



## Set-Components **1**



|             |                          |
|-------------|--------------------------|
| Type        | SNU 5 Plus (GB)          |
| Product set | SNU 5 Plus<br>GB + WST-W |

## Technical data

|  |                    |
|--|--------------------|
| Connected load                           | 2 kW               |
| Rated output 2                           | 2,0 kW             |
| Power supply                             | 1/N/PE             |
| Rated voltage                            | 230 V              |
| Fuse protection 2                        | 10 A               |
| Frequency                                | 50-60 Hz           |
| Energy efficiency class                  | A                  |
| Standby energy consumption/24 h at 65 °C | 0.19 kWh           |
| Standby energy consumption/24 h at 38 °C | 0.07 kWh           |
| Nominal capacity                         | 5 l                |
| Mixed water amount at 40 °C              | 9,3 l              |
| Temperature setting range                | 35-85 °C           |
| Version                                  | Small water heater |
| Type                                     | non-pressurised    |
| Installation type                        | Undersink          |
| With tap                                 | -                  |
| Colour                                   | white              |
| Cable length                             | 0,9 m              |

|                   |         |
|-------------------|---------|
| Operation         | manual  |
| Temperature limit | •       |
| IP rating         | IP24 D  |
| Height            | 423 mm  |
| Width             | 240 mm  |
| Depth             | 212 mm  |
| Weight            | 2.90 kg |

## **Contact information**

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 436 96

Or send an e-mail to

[sales@stiebel-eltron.ie](mailto:sales@stiebel-eltron.ie)

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.